Docket No.:

P-0170

AUG 2 7 2004 CO

PATENT

STATES PATENT AND TRADEMARK OFFICE

In re Application of

Confirmation No.: 7352

Kyoung Jin KANG et al.

Group Art Unit: 2131

Serial No: 09/750,921

Examiner: Longbit Chai

Filed: January 2, 2001

Customer No.: 34610

For:

SECURITY PROTOCOL STRUCTURE IN APPLICATION LAYER

U.S. Patent and Trademark Office 220 20th Street S Customer Window, Mail Stop Amendment Crystal Plaza Two, Lobby, Room 1B03 Arlington, VA 22202 RECEIVED

AUG 3 1 2004

Technology Center 2100

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

No additional fee is required.

Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	18	20		x \$18 =	\$
Independent Claims	2	3		x \$86=	\$
		If multiple claims newly presented, add \$290.00 Fee for extension of time			
		TOTAL FEE DUE			\$0

submitted herewith.	<u>16-0607</u> in the amount of \$	An additional copy of thi	s transmittal sheet is

A check in the amount of \$ _____ (Check #____) is attached.

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted, FLESHNER & KIM, LLP

Daniel Y.J. Kim, Esq. Registration No. 36,186 David A. Bilodeau, Esq. Registration No. 42,325

P.O. Box 221200 Chantilly, VA 20153-1200 (703) 766-3701 DYK/DAB:knv Date: August 27, 2004





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Kyoung Jin KANG et al.

Serial No.

09/750,921

Group Art Unit:

2131

Confirm. No.:

7352

Examiner:

Longbit Chai

Filed:

January 2, 2001

Customer No.:

34610

For:

SECURITY PROTOCOL STRUCTURE IN APPLICATION LAYER

AMENDMENT

RECEIVED

U.S. Patent and Trademark Office 220 20th Street S Customer Window Crystal Plaza Two, Lobby, Room 1B03 Arlington, VA 22202

AUG 3 1 2004

Technology Center 2100

Sir:

In response to the Office Action dated June 4, 2004, please amend the aboveidentified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 3 of this paper.

Remarks/Arguments begin on page 9 of this paper.